



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D3492-1**Job Sheet 188085****Part No:** D3492-1**Job Qty:** 80 pcs**Part Name:** Plug**Part Weight:** 0 lbs**Status:** New**Priority:** Medium**Job Created:** 1/2/19**Job Tracking No:****Due Date:** 1/25/19**Created By:** Jesse White**Type:** SOLD**Description:****Note:** DWG REV E IPP Rev:A 11.04.19 per dwg revC DD verf:EC**Ship Via:****Bill of Materials****Job Routing**

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Hardinge - 1	80 pcs		1/25/19	0.00	2.45	Hardinge - 1		JBD 18-123 J.C.V.
120	QC 8	80 pcs		1/25/19	0.00	0.00	QC 8 - 12		
							QC 8 - 14		
							QC 8 - 17		
							QC 8 - 20		
							QC 8 - 25		
							QC 8 - 3		
							QC 8 - 32		
							QC 8 - 33		
							QC 8 - 35		
							QC 8 - 38		
							QC 8 - 39		
							QC 8 - 4		
							QC 8 - 44		
							QC 8 - 45		
							QC 8 - 49		
							QC 8 - 58		
							QC 8 - 8		
							QC 8 - 9		
							QC 8 - 68		
							QC 8 - 67		
							QC 8 - 1 (A)		
150	Handfinish - 1-1 Chemical-B4B	80 pcs		1/25/19	0.00	0.26	Handfinish - 1 - 1 - B4B		
							Handfinish - 1 - 2 - B4B		
							Handfinish - 1 - 3 - B4B		
							Handfinish - 1 - 4 - B4B		
							Handfinish - 1 - 5 -		

Plex 1/2/19 3:37 PM dart.white.jesse

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

				B4B	
				Handfinish - 1 - 6 - B4B	
				Handfinish - 1 - 7 - B4B	
				Handfinish - 1 - 8 - B4B	
				Handfinish - 1 - 9 - B4B	
				Handfinish - 1 - 10 - B4B	D.R 19/01/29
				Handfinish - 1 - 11 - B4B	
				Handfinish - 1 - 12 - B4B	
				Handfinish - 1 - 13 - B4B	
				Handfinish - 1 - 14 - B4B	
				Handfinish - 1 - 15 - B4B	
				Handfinish - 1 - 16 - B4B	
				Handfinish - 1 - 17 - B4B	
				Handfinish - 1 - 18 - B4B	
				Handfinish - 1 - 19 - B4B	
				Handfinish - 1 - 20 - B4B	
				Handfinish - 1 - 21 - B4B	
				Handfinish - 1 - 22 - B4B	
155	Outsource - 11 - Paint	80 pcs	1/25/19	0.00 0.00	
160	Powdercoat - 1 White Gl(A)- B4B	80 pcs	1/25/19	0.00 0.13	Powdercoat - 1 - B4B
					Powdercoat - 2 - B4B
					Powdercoat - 3 - B4B
					Powdercoat - 4 - B4B
165	Packaging	80 pcs	1/25/19	0.00 0.00	
170	QC 3	80 pcs	1/25/19	0.00 0.00	QC 3 - 10
					QC 3 - 13
					QC 3 - 15
					QC 3 - 17
					QC 3 - 18
					QC 3 - 2
					QC 3 - 26
					QC 3 - 28
					QC 3 - 3
					QC 3 - 30
					QC 3 - 34
					QC 3 - 36
					QC 3 - 38
					QC 3 - 41
					QC 3 - 51
					QC 3 - 58
					QC 3 - 59
					QC 3 - 6
					QC 3 - 68
					QC 3 - 9

Plex 1/2/19 3:37 PM dart.white.jesse

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
		Other/Details:			

180	Packaging 3-1 - Stock - B4B	80 pcs	1/25/19	0.00 0.00	Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	
					Packaging 3 - 6 - B4B	
					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	FP-001
					Packaging 3 - 16 - B4B	14-1-30
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
190	QC 21 - SA	80 pcs	1/25/19	0.00 0.00	QC 21 - SA - 21	38-6
					QC 21 - SA - 70	21

Part Op 100 - (Hardinge) 1-Turn as per Folio FA633 & Dwg D3492 Dwg Rev: _____

Descriptions: 120 - (QC8- Inspect parts - second check)

150 - (Chemical Conversion Coat per QSI005 4.1)

155 - (Outsource Process - Paint)

160 - (White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum) (Flat End Only) START TIME: 1:15 FINISH TIME: 1:45

TEMP: 324

170 - (QC3- Inspect Part Finish)

180 - (Identify as per dwg & Stock Location: _____) LOCATION : FP001

190 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M6061T6R0.625	6061-T6 Round Bar .625"	4.2400 ft (.053 ea)	100-Hardinge - 1	5090365

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Hardinge - 1	M6061T6R0.625	4	8	0

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

Part Specifications					
Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Plug	0.060inches $\pm$ 0.005	0.065 0.055		
2	Plug	0.060inches $\pm$ 0.005	0.065 0.055		
3	Plug	0.394inches $\pm$ 0.010	0.404 0.384		
4	Plug	0.625inches $\pm$ 0.010	0.635 0.615		
5	Plug	0.090inches + 0.000 - 0.002	0.090 0.088		
6	Plug	0.500inches $\pm$ 0.010	0.510 0.490		
7	Plug	0.050inches + 0.000 - 0.002	0.050 0.048		
8	Plug	0.050inches $\pm$ 0.010	0.060 0.040		
9	Plug	20.000Degrees $\pm$ 0.000	20.000 20.000		

J.C.L.

Plex 1/2/19 3:37 PM dart.white.jesse

Entered: _____ Date: _____





WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐													
Date : _____		Sequence #: _____		QTY Affected : _____		MRB (QSI042)											
Description Work Order Deviation				Disposition													
				Completed By													
				Lead hand / Supervisor													
				QC / QA Coordinator													
 Container No: S148529 Part: D3492-1 Job No: 188085 Serial No/Batch: S148529 Revision: _____ Inspector: _____ Exp Date: _____ Instructions: Various STC's Date: 01/28/19				FAULT CATEGORY													
				<table border="1"><tr><td>☐ Power Loss/Surge</td><td>☐ Positioned Wrong</td></tr><tr><td>☐ Folio/Program</td><td>☐ Outside Tolerance</td></tr><tr><td>☐ Grain Direction</td><td>☐ Drawing</td></tr><tr><td>☐ Weld</td><td>☐ Finish</td></tr><tr><td>☐ Wrong Stock Pulled</td><td>☐ Part Lost/Missing</td></tr><tr><td>☐ Out of Sequence</td><td>☐ Misread</td></tr><tr><td>☐ Off-set/Set-up</td><td></td></tr></table>				☐ Power Loss/Surge	☐ Positioned Wrong	☐ Folio/Program	☐ Outside Tolerance	☐ Grain Direction	☐ Drawing	☐ Weld	☐ Finish	☐ Wrong Stock Pulled	☐ Part Lost/Missing
☐ Power Loss/Surge	☐ Positioned Wrong																
☐ Folio/Program	☐ Outside Tolerance																
☐ Grain Direction	☐ Drawing																
☐ Weld	☐ Finish																
☐ Wrong Stock Pulled	☐ Part Lost/Missing																
☐ Out of Sequence	☐ Misread																
☐ Off-set/Set-up																	

8 7 6 5 4 3 2 1



DETAIL D

D3492-XX PLUG

D3492-XX PLUG MACHINING DETAILS

P/N	A	B	C	MATERIAL SPEC
D3492-1	0.625	0.394	0.050	M6061T6R0.625
D3492-3	0.750	0.582	0.045	M6061T6R0.750
D3492-5	0.375	0.188	0.045	M6061T6R0.375
D3492-7	0.500	0.270	0.045	M6061T6R0.500
D3492-9	0.938	0.750	0.045	M6061T6R1.000
D3492-11	0.850	0.664	0.045	M6061T6R0.875
D3492-13	0.750	0.510	0.045	M6061T6R0.750
D3492-15	0.850	0.640	0.050	M6061T6R0.875



NOTES:

- 1) MATERIAL: ALUMINUM 5052-H32 OR 6061-T6 OR 1100-0 PER QQ-A-225/7 (5052) OR QQ-A-225/8 (6061) OR QQ-A-200/8 (6061) OR QQ-A-225/1 (1100) (REF. DART MATERIAL SPEC M6061T6R0.000)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	AS	DRAWING NO.	REV. E
MFG. APPR.	AS	D3492	SHEET 2 OF 2
APPROVED	AS	TITLE	SCALE
DE APPR.	AS	PLUG	4:1
DATE	13.08.08	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2013-11-13

8 7 6 5 4 3 2 1